



## MATERIAL SAFETY DATA SHEET

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier	Ultra Surf S
Chemical Name	Not Applicable, A Blend
Chemical Family	Not Applicable, A Blend
Manufacturer	M & D Industries Of Louisiana, Inc. 502 Richland Ave / Lafayette, La 70508
Emergency Phone	1-337-984-0471
Phone	(800)772-6833
Issue Date	09/15/94
Revised Date	01/14/13

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	Isopropanol
CAS No.	67-63-0
Wt. Percent Range	50-60
OSHA PEL	400 ppm
ACGIH TLV	200 ppm
LD50	Peroral 6.48 ml/kg (rat) Percutaneous 8.0 ml/kg (rabbit)
LC50	Fathead Minnow 8,300 mg/1 (96 h) Daphnia 7,550 mg/1 (48 h)

Ingredient	Dodecylbenzenesulfonic Acid
CAS No.	27176-87-0
Wt. Percent Range	20-40
OSHA PEL	20 ppm
Lb50	No..data available
LC50	No data available

Ingredient	N,N-Diethanolamine 111-42-
CAS No.	2
Wt Percent Range	<5
OSHA PEL	No data available
ACGIH TLV	2 mg/m <sup>3</sup> TWA (skin)
LD50	Oral 1.41 g/kg (rat) Dermal >5.00 g/kg (rabbit)
LC50	No data available

### 3. HAZARDS IDENTIFICATION

Human health hazards	Eye, skin and inhalation irritant. Harmful if swallowed.
Acute health hazards	Defatting and dermatitis of the skin
Chronic health hazards	Defatting and dermatitis of the skin
Route(s) of entry	Eyes, skin, inhalation and ingestion
Safety hazards	Flammable liquid
Environmental hazards	No information is available on the product.

### 4. FIRST AID MEASURES

Eye	Remove contact lenses at once. Immediately flush with copious amounts of water for 15 minutes while holding eyelids open. If irritation persists, seek medical attention.
Skin	Wash affected area thoroughly with soap and water for at least 15 minutes or until product is removed. Remove contaminated Clothing and launder before reuse. If irritation develops, seek medical attention.
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.
Ingestion	Call a physician or poison control center immediately. Only induce vomiting at the instruction of medical personnel. Never give anything by mouth to an unconscious person.

5. FIRE FIGHTING MEASURES
- |                               |   |
|-------------------------------|---|
| Flash Point                   | 53°F (11.7°C) (Closed Cup)  |
| Lower Explosion Limit         | 2.0 (Based on Isopropanol)  |
| Upper Explosion limit         | 12.0 (Based on Isopropanol)   |
| Extinguishing Media           | Water spray or fog and alcohol-type foam for large fires. Dry Chemical or carbon dioxide for small fires. |
| Protective equipment          | NIOSH/MSHA approved self-contained breathing apparatus (SCBA) and turnout gear.                           |
| Hazardous combustion products | Oxides of carbon  |
6. ACCIDENTAL RELEASE MEASURES
- |                      |  |
|----------------------|--|
| Personal precautions | Wear hand, eye, protective clothing and respiratory protective equipment to eliminate contact.   |
| General precautions  | Eliminate ignition sources. Evacuate all non-essential personnel.  |
| Small spills         | Soak up residue with an inert absorbent and place into appropriate containers for disposal or reclamation. Flush contaminated area thoroughly with water. Retain washings as contaminated waste. |
| Large spills         | If possible stop the flow of chemical. Dike to contain and prevent spreading. Remove with vacuum truck or pump to salvage vessels. Treat residue as for small spills.                            |
7. HANDLING AND STORAGE
- |          |   |
|----------|---|
| Handling | Avoid contact with eyes, skin and clothing. Avoid breathing vapors. Use with adequate ventilation. Do not take internally. Wear appropriate protective clothing and equipment during handling. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse. |
| Storage  | Store away from heat, sparks and open flames. Keep container closed when not in use. Store drums with the bung up. Carefully vent container before removing bung.   |
8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- |                                 |  |
|---------------------------------|--|
| Occupational exposure standards | Not established for the product.   |
| Hand protection                 | Nitrile rubber gloves.   |
| Eye protection                  | Chemical splash goggles and face shield if conditions warrant.   |
| Respiratory protection          | Not normally required.   |
| Engineering control measures    | General (mechanical) room ventilation is expected to be satisfactory.  |
| Other                           | Emergency eye wash fountains and safety showers should be in the immediate vicinity of any potential exposure. |
9. PHYSICAL AND CHEMICAL PROPERTIES
- |                     |                      |
|---------------------|----------------------|
| Form                | Liquid               |
| Appearance          | Clear                |
| Color               | Light Amber to Amber |
| Odor                | Alcohol              |
| Specific Gravity    | 0.90                 |
| Bulk Density        | 7.51bs/gal           |
| Boiling Point       | No data available    |
| Freezing Point      | -20° F (-28.9°C)     |
| Solubility in water | Complete             |
| pH                  | 7-9                  |
| Percent Volatiles   | No data available    |
| Vapor Pressure      | No data available    |
10. STABILITY AND REACTIVITY
- |                                  |  |
|----------------------------------|--|
| Stability                        | Stable                                   |
| Conditions to avoid              | Heat, sparks, open flames                |
| Hazardous polymerization         | Will not occur                           |
| Hazardous decomposition products | Oxides of carbon                         |
| Incompatibility                  | Strong acids and strong oxidizing agents |

11. TOXICOLOGICAL INFORMATION
- |                 |  |
|-----------------|--|
| Acute Effects   |  |
| Eye             | Causes moderate to severe irritation. If not removed promptly, permanent injury may result.  |
| Skin            | May cause mild to moderate irritation with brief contact. Prolonged contact may cause severe irritation, drying, defatting and dermatitis. |
| Inhalation      | May cause nose, throat and general upper respiratory tract irritation, coughing and headache.  |
| Ingestion       | Product is harmful if swallowed. May cause vomiting, headache, nausea, diarrhea, abdominal cramps, drowsiness and dizziness.               |
| Chronic Effects | No other known chronic effects.  |
| Carcinogenicity | None of the ingredients are listed in NTP, IARC monographs or OSHA regulated.  |
12. ECOLOGICAL INFORMATION
- |                    |   |
|--------------------|---|
| Environmental Fate | No information is available on the product however it is expected to be toxic to aquatic organisms. |
|--------------------|---|
13. DISPOSAL CONSIDERATIONS
- |                    |  |
|--------------------|--|
| Waste disposal     | : Recycle if possible. Otherwise dispose to licensed disposal contractor.  |
| Product disposal   | : Recycle if possible. Otherwise comply with all local, state and federal regulations.   |
| Container disposal | : Drain container thoroughly. Triple rinse with water. Send to reclaimer or dispose of properly. Comply with all local, state and federal regulations. |
14. TRANSPORT INFORMATION
- |  |  |
|--|--|
| United States D.O. T.<br>DOT Shipping Name | Flammable liquids, n.o.s., (contains Isopropanol and Diethanolamine), 3, UN1993, PG II |
| Label(s) required                          | Flammable  |
| Hazard Class                               | 3  |
| UN/NA number                               | UN1993   |
| Packaging group                            | PGII   |
| Emergency Phone                            | (337) 984-0471   |
15. REGULATORY INFORMATION
- |                                   |  |
|-----------------------------------|--|
|                                   | This document has been prepared in accordance with the MSDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.   |
| OSHA Classification               | Hazardous  |
| TSCA (USA)                        | All components listed.   |
| DSL (Canada)                      | All components listed.   |
| SARA Title III<br>Section 302     | Extremely Hazardous Substances (40CFR355): This product does not contain ingredients listed in Appendix A and B.   |
| Sections 311/312                  |  |
| Immediate (acute) health hazard   | YES  |
| Delayed (chronic) health hazard   | YES  |
| Fire hazard                       | YES  |
| Sudden Release of Pressure Hazard | NO   |
| Reactive Hazard                   | NO   |
| Section 313 Reportable Quantities | YES  |
| CERCLA                            | If the reportable quantity of this product is accidentally spilled, the incident is subject to the provisions of the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) and must be reported to the National Response Center by calling (800) 424-8802. |
| Reportable Quantity               | Not determined for the product.  |

16. **OTHER INFORMATION**

NFPA 704

Health	3
Fire	3
Reactivity	0
Special	None

HMIS

Health	3
Fire	3
Reactivity	0
Special	None

Disclaimer of Liability

The information contained in this MSDS was obtained from sources that we believe are reliable. However, the information is without any warranty, express or implied, regarding correctness. The methods of handling, storage, use and disposal of the product are beyond our control and may be outside the scope of our knowledge. For these reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.